



# RAPTOR

## SERIES



**RAPTOR**  
X

AVAILABLE DECK SIZES

42" & 54"



**RAPTOR**  
XL

AVAILABLE DECK SIZES

42" & 54"



**RAPTOR**  
XD

AVAILABLE DECK SIZES

42" - 60"



**RAPTOR**  
XDX

AVAILABLE DECK SIZES

48" - 60"

# RAPTOR

X

IDEAL FOR UP TO

1  
ACRE

## Premium Residential Frame

Continuous one-piece 1½ inch by 3 inch welded tubular frame not seen on any other residential mower. **#1 in Class**

## Welded Steel Deck

11 ga. welded fabricated steel deck adds durability & extends mower's life. (compare to other brand's cheap stamped decks)

**NEW!**

## Wider Stance

Additional operator platform width provides more room and comfort for the operator.

## SmoothTrak™ Steering

Precision control to help trim and maneuver easily around obstacles. You will fully understand SmoothTrak steering when you drive ours and then drive theirs.

**NEW!**



## Premium Seat

Provides a comfortable ride with armrests and added airflow to the back.

## Foot-Operated Deck Lift

Easily adjust the deck height between 1.5" - 4.5" with less effort than hand-operated levers found on other brands.

## Easy to Service

Flip-up seat pan, removable floor pan, vented pulley covers.

**NEW!**

## Exclusive BigBite™ rear tires

We worked directly with the tire manufacturer on this design. You will not find them anywhere else.

## Premium Power

The V-Twin Kawasaki® engine is the highest rated residential engine available.

LIMITED  
WARRANTY

3  
YEAR | 300  
HOUR

RESIDENTIAL



## UPGRADES FOUND ON THE XL, XD, XDX



### RAPTOR XL

*Compared to Raptor X*

- ✓ Higher-Back Seat and Added Padding
- ✓ Standard Front Flex Forks
- ✓ Additional Horsepower Option  
(Kawasaki FR Engine 23hp)



IDEAL FOR UP TO  
**1**  
ACRE

LIMITED  
WARRANTY  
**3** YEAR **300** HOUR  
RESIDENTIAL



### RAPTOR XD

*Compared to Raptor X*

- ✓ Higher-Back Seat and Added Padding
- ✓ Larger Deck Size Option (60")
- ✓ Larger Transmissions (Hydro-Gear® ZT-2800®)
- ✓ Larger 20" BigBite Drive Tires
- ✓ Additional Horsepower Options (Kawasaki FR Engine 24hp)



IDEAL FOR UP TO  
**3**  
ACRES

LIMITED  
WARRANTY  
**3** YEAR **300** HOUR  
RESIDENTIAL



# RAPTOR XDX

*Compared to Raptor XD*

- ✓ **Higher-Back Seat and Added Padding**
- ✓ **Larger Transmissions** (Hydro-Gear® ZT-3100®)
- ✓ **Larger 22" BigBite Drive Tires**
- ✓ **Commercial Grade Deck**  
(10 Gauge, front bull nose bumper, replaceable trim guard)



## ACCESSORIES

- ▶ Mulch kit
- ▶ Grass bagger  
(non-powered 5.4 bushels, X, XL, XD)
- ▶ Grass bagger  
(powered 7.2 bushels, XDX)
- ▶ Steering lever extension kit
- ▶ FlexForks®
- ▶ Light kit
- ▶ Stripe kit

IDEAL FOR UP TO  
**3**  
ACRES

LIMITED  
WARRANTY  
**3** YEAR | **300** HOUR  
RESIDENTIAL

LIMITED  
WARRANTY  
**1** YEAR | **300** HOUR  
COMMERCIAL

RAPTOR X		RAPTOR XL	
ENGINE			
Manufacturer	Kawasaki FR series		Kawasaki FR series
HP	42" deck: 18HP - FR600 54" deck: 21.5HP - FR651 (Per SAE J1995)		42" deck: 21.5HP - FR651 54" deck: 23HP - FR691 (Per SAE J1995)
Displacement	42" deck: 603cc 54" deck: 726cc		726cc
Cooling	Air cooled		
Engine Warranty	3 year		
DRIVE SYSTEM			
Type	Dual hydrostatic		
Transmission	Hydro-Gear ZT2200		
Speed	Up to 7 mph		
Parking Brakes	Patented automatic		
DECKS			
Cutting Width	Side discharge: 42", 54"		
Cutting Heights	1.5" - 4.5"		
Deck Lift	Foot operated		
Depth	4.5"		
Blades	42" deck: 2 54" deck : 3		
Blade Length	42" deck: 2 - 20.50" 54" deck: 3 - 18.50"		
Blade Tip Speed	42" deck: 18,000" 54" deck: 18,600		
Spindles	Aluminum with 1" shafts and double lip sealed ball bearings		
Drive	Ogura GT1.5		
Construction	Fabricated 11 ga. steel		
Spindle Mounts	Reinforced 7 ga. steel		
Impact/Trim Areas	1/4" x 1" steel bar		
CONSTRUCTION			
Frame	1.5" x 3" steel tubing		
Front Axle	Fabricated with sealed ball bearings		
Front Caster Wheels	Sealed ball bearings		
Front Caster Forks	Fabricated 1/4" steel	FlexFork™	
GENERAL			
Seat	Premium bolstered mid-back seat with armrests and built-in lumbar support	Premium bolstered high-back seat with armrests and built-in lumbar support	
Fuel Capacity	3 gallons		
Cupholder	Yes		
Front Tire	42": 11 x 5 54": 11 x 6		
Drive Tire	42": 18 x 8.50 - 8 BigBite™ 54": 18 x 10.50 - 8 BigBite™		
DIMENSIONS			
Weight	42" deck: 537 lbs, 54" deck: 564 lbs		42" deck: 567 lbs, 54" deck: 594 lbs
Height	40.8"		42.6"
Length	42": 68.8" 54": 70.6"		42": 69.9" 54": 71.7"
Width w/Chute Up	42" deck: 45.5" 54" deck: 58.6"		42" deck: 45.5" 54" deck: 58.6"
Tire Width	42" deck: 43" 54" deck: 46.5"		42" deck: 43" 54" deck: 46.5"
Trim Side	42" deck: 0.4" 54" deck: 5.7"		42" deck: 0.5" 54" deck: 4"
PRODUCTIVITY*			
Acres Per Hour	42" deck: 2.38 54" deck: 3.01		

RAPTOR XD					RAPTOR XDX			
ENGINE								
Manufacturer	Kawasaki FR series				Kawasaki FR series			
HP	42" & 48"deck: 21.5HP - FR651 54" deck: 23HP - FR691 60" deck: 24HP - FR730 (Per SAE J1995)				48"deck: 21.5HP - FR651 54" deck: 23HP - FR691 60" deck: 24HP - FR730 (Per SAE J1995)			
Displacement	726cc							
Cooling	Air cooled							
Engine Warranty	3 year							
DRIVE SYSTEM								
Type	Dual hydrostatic							
Transmission	Hydro-Gear ZT2800				Hydro-Gear ZT3100			
Speed	Up to 7.5 mph				Up to 8 mph			
Parking Brakes	Patented automatic							
DECKS								
Cutting Width	Side discharge: 42", 48", 54", 60"				Side discharge: 48", 54", 60"			
Cutting Heights	1.5"- 4.5"							
Deck Lift	Foot operated							
Depth	4.5"				5.0"			
Blades	42" deck: 2    48", 54", 60" deck : 3				3			
Blade Length	42" deck: 20.50"    48" deck: 16.50" 54" deck: 18.50"    60" deck: 20.50"				48" deck: 16.50" 54" deck: 18.50"    60" deck: 20.50"			
Blade Tip Speed	42" deck: 18,400"    48" deck: 18,500 54" deck: 18,800"    60" deck: 18,300				48" deck: 18,600 54" deck: 18,900"    60" deck: 18,400			
Spindles	Aluminum with 1" shafts and double lip sealed ball bearings				Aluminum with 1" shafts and sealed ball bearings			
Drive	Ogura GT1.5							
Construction	Fabricated 11 ga. steel				Fabricated 10 ga. steel			
Spindle Mounts	Reinforced 7 ga. steel				Reinforced 11 ga. steel			
Impact/Trim Areas	3/8" x 1" steel bar				11ga. formed channel w/ rolled edge			
CONSTRUCTION								
Frame	1.5" x 3" steel tubing							
Front Axle	Fabricated with sealed ball bearings							
Front Caster Wheels	Sealed ball bearings							
Front Caster Forks	Fabricated 3/8" steel				Fabricated 3/8" steel			
GENERAL								
Seat	Premium bolstered high-back seat with armrests and built-in lumbar support				Premium bolstered extra high-back seat with armrests and built-in lumbar support			
Fuel Capacity	3 gallons							
Cupholder	Yes							
Front Tire	42": 13 x 5    48", 54", 60": 13 x 6.5				13 x 6.5			
Drive Tire	42" & 48": 20 x 8 - 10 BigBite™    54", 60": 20 x 12 - 12 BigBite™				48": 22 x 9.5 - 10 BigBite™    54", 60": 22 x 11 - 10 BigBite™			
DIMENSIONS								
Weight	42" deck: 616 lbs    48" deck: 627 lbs 54" deck: 653 lbs    60" deck: 680 lbs				48" deck: 646 lbs    54" deck: 678 lbs    60" deck: 710 lbs			
Height	43.7"							
Length	42" & 48": 69.3"    54" & 60": 71.1"				71.1"			
Width w/Chute Up	42" deck: 45.8"    48" deck: 52.5    54" deck: 58.5"    60" deck: 64.4"				48" deck: 50.6"    54" deck: 57"    60" deck: 62.2"			
Tire Width	42" & 48" deck: 42"    54" & 60" deck: 48.6"				48" deck: 45.8"    54" & 60" deck: 48.6"			
Trim Side	42" deck: 1"    48" deck: 4.5"    54" deck: 3.2"    60" deck: 7.2"				48" deck: 1.9"    54" deck: 3.4"    60" deck: 7.4"			
PRODUCTIVITY*								
Acres Per Hour	42" deck: 2.54	48" deck: 2.91	54" deck: 3.27	60" deck: 3.64	48" deck: 3.10	54" deck: 3.49	60" deck: 3.88	

\* Number based on 80% efficiency. This rating is to account for actual mowing conditions including overlapping, turning and terrain.  
 \*\* Specifications are subject to change without notice.